

MOR ALESSANDRO

IL PRESENTE CURRICULUM VIENE REDATTO DAL SIG. Mor Alessandro NATO A
I
CONSAPEVOLE I AI SENSI DEGLI ARTT. 46 E 47 DEL D.P.R. N. 445/2000,
VERITIERE, DI FORMAZIONE O USO DI ATTI FALSI, RICHIAMATE DALL'ART. 76 DEL
D.P.R. N. 445/2000.

Nome
Nato a
Data di nascita
Email

FORMAZIONE E TITOLI

Universita' Cattolica del Sacro Cuore, Rome Laurea Magistrale in Medicina e Chirurgia, punteggio 110/110 e Lode	09/2006-03/2011
Universita' di Pavia, Pavia Universita' di Medicina e Chirurgia	09/2004-08/2006
Liceo Scientifico Tecnologico Leonardo da Vinci, Brescia Diploma di Maturità Scientifica, punteggio 100/100	09/1999-06/2004

ESPERIENZE LAVORATIVE

Collaborazione coordinata e continuativa – Emergenza COVID-19 ASUR Marche – Area Vasta 2 UOC Medicina e Chirurgia d'Accettazione e d'Urgenza Ospedale Carlo Urbani Jesi, AN, Italia	18/03/2020-oggi
Specializzazione – Medicina d'Emergenza-Urgenza Università Politecnica delle Marche – Ospedali Riuniti Ancona, Italia	10/2016-oggi
Resident and research fellow – Chirurgia Generale Duke University – Department of Surgery Durham, North Carolina, USA	09/2012-07/2016

PUBBLICAZIONI

1. **Mor A**, Keenan E, Portenier D, Torquati A. Case-matched analysis comparing outcomes of revisional versus primary laparoscopic Roux-en-Y gastric bypass. *Surg Endosc.* 2012 Jul 18. PMID: 22806534.
2. **Mor A**, Sharp L, Portenier D, Sudan R, Torquati A. Weight Loss at the First Postoperative Visit Predicts Long Term Outcome of Roux-en-Y Gastric Bypass using the Duke Weight Loss Surgery Chart. *Surg Obes Relat Dis.* 2012 Sep-Oct;8(5):556-60. PMID: 22920966
3. **Mor A**, Lufti R, Torquati A. Esophageal acid clearance physiology is altered after Nissen-Collis Gastroplasty. *Surg Endosc.* 2013 Apr;27(4):1334-8. Epub 2012 Oct 17. PMID: 23073687
4. Nanni G, Familiari P, **Mor A**, Iaconelli A, Perri V, Rubino F, Boldrini G, Salerno MP, Leccesi L, Iesari S, Sollazzi L, Perilli V, Castagneto M, Mingrone G, Costamagna G. Effectiveness of the Transoral Endoscopic Vertical Gastroplasty (TOGa®): a good balance between weight loss and complications, if compared with gastric bypass and biliopancreatic diversion. *Obes Surg.* 2012 Dec;22(12):1897-902. PMID: 23001571.
5. **Mor A**, Tabone L, Omotosho P, Torquati A. Improved insulin sensitivity after gastric bypass correlates with decreased total body fat, but not with changes in free fatty acids. *Surg Endosc.* 2014 May;28(5):1489-93. PMID: 24317547
6. **Mor A**, Omotosho P, Torquati A. Cardiovascular risk in obese diabetic patients is significantly reduced one year after gastric bypass compared to one year of diabetes support and education. *Surg Endosc.* 2014 May 23. [Epub ahead of print] PMID: 24853843
7. Omotosho P, **Mor A**, Shantavasinkul PC, Corsino L, Torquati A. Gastric bypass significantly improves quality of life in morbidly obese patients with type 2 diabetes. *Surg Endosc.* 2016 Jul;30(7):2857-64. doi: 10.1007/s00464-015-4568-0. Epub 2016 Jan 28. PMID: 26823053
8. Omotosho PA, Rodriguez JA, Jain-Spangler K, **Mor A**, Torquati A. Predictors of long-term success after laparoscopic Roux-en-Y gastric bypass in African-American women. *Surg Obes Relat Dis.* 2016 Feb;12(2):253-6. doi: 10.1016/j.soard.2015.10.078. Epub 2015 Oct 23. PMID: 26833185

PRESENTAZIONI ORALI

1. Prouroguanylin response to meal stimulation is dysregulated in obesity and restored two weeks after gastric bypass surgery. **Mor A**, Spagnoli A, Muehlbauer M, Torquati A. Presented at Obesity Week 2013. 30th Annual Meeting of the American Society of Bariatric and Metabolic Surgery; 2013 Nov 11-16; Atlanta, USA.
2. Cardiovascular Risk in obese and diabetic patients is significantly reduced one year after Gastric Bypass compared to a one year of Diabetes Support and Education. **Mor A**, Omotosho P, Torquati A. Presented at SAGES 2014. Annual Meeting of the Society of American Gastrointestinal and Endoscopic Surgeons; 2014 April 2-5; Salt Lake City, USA.
3. Branched-chain amino acids metabolites can predict type II diabetes remission 1-year after gastric bypass. **Mor A**, Omotosho P, Torquati A. Presented at IFSO 2014. XIX world congress of International Federation for the Surgery of Obesity and Metabolic Disorders; 2014 Aug 26-30; Montreal, Canada.
4. Changes of Circulating Irisin and High Sensitivity C-Reactive Protein levels in Morbidly Obese Individuals with Type 2 Diabetes after Roux-en-Y Gastric Bypass. **Mor A**, Omotosho P, Torquati A. Presented at Obesity Week 2014. 31st Annual Meeting of the American Society of Bariatric and Metabolic Surgery; 2014 Nov 2-7; Boston, USA.

PUBBLICAZIONI

1. **Mor A**, Keenan E, Portenier D, Torquati A. Case-matched analysis comparing outcomes of revisional versus primary laparoscopic Roux-en-Y gastric bypass. *Surg Endosc.* 2012 Jul 18. PMID: 22806534.
2. **Mor A**, Sharp L, Portenier D, Sudan R, Torquati A. Weight Loss at the First Postoperative Visit Predicts Long Term Outcome of Roux-en-Y Gastric Bypass using the Duke Weight Loss Surgery Chart. *Surg Obes Relat Dis.* 2012 Sep-Oct;8(5):556-60. PMID: 22920966
3. **Mor A**, Lufti R, Torquati A. Esophageal acid clearance physiology is altered after Nissen-Collis Gastroplasty. *Surg Endosc.* 2013 Apr;27(4):1334-8. Epub 2012 Oct 17. PMID: 23073687
4. Nanni G, Familiari P, **Mor A**, Iaconelli A, Perri V, Rubino F, Boldrini G, Salerno MP, Leccesi L, Iesari S, Sollazzi L, Perilli V, Castagneto M, Mingrone G, Costamagna G. Effectiveness of the Transoral Endoscopic Vertical Gastroplasty (TOGa®): a good balance between weight loss and complications, if compared with gastric bypass and biliopancreatic diversion. *Obes Surg.* 2012 Dec;22(12):1897-902. PMID: 23001571.
5. **Mor A**, Tabone L, Omotosho P, Torquati A. Improved insulin sensitivity after gastric bypass correlates with decreased total body fat, but not with changes in free fatty acids. *Surg Endosc.* 2014 May;28(5):1489-93. PMID: 24317547
6. **Mor A**, Omotosho P, Torquati A. Cardiovascular risk in obese diabetic patients is significantly reduced one year after gastric bypass compared to one year of diabetes support and education. *Surg Endosc.* 2014 May 23. [Epub ahead of print] PMID: 24853843
7. Omotosho P, **Mor A**, Shantavasinkul PC, Corsino L, Torquati A. Gastric bypass significantly improves quality of life in morbidly obese patients with type 2 diabetes. *Surg Endosc.* 2016 Jul;30(7):2857-64. doi: 10.1007/s00464-015-4568-0. Epub 2016 Jan 28. PMID: 26823053
8. Omotosho PA, Rodriguez JA, Jain-Spangler K, **Mor A**, Torquati A. Predictors of long-term success after laparoscopic Roux-en-Y gastric bypass in African-American women. *Surg Obes Relat Dis.* 2016 Feb;12(2):253-6. doi: 10.1016/j.soard.2015.10.078. Epub 2015 Oct 23. PMID: 26833185

PRESENTAZIONI ORALI

1. Prouroguanylin response to meal stimulation is dysregulated in obesity and restored two weeks after gastric bypass surgery. **Mor A**, Spagnoli A, Muehlbauer M, Torquati A. Presented at Obesity Week 2013. 30th Annual Meeting of the American Society of Bariatric and Metabolic Surgery; 2013 Nov 11-16; Atlanta, USA.
2. Cardiovascular Risk in obese and diabetic patients is significantly reduced one year after Gastric Bypass compared to a one year of Diabetes Support and Education. **Mor A**, Omotosho P, Torquati A. Presented at SAGES 2014. Annual Meeting of the Society of American Gastrointestinal and Endoscopic Surgeons; 2014 April 2-5;. Salt Lake City, USA.
3. Branched-chain amino acids metabolites can predict type II diabetes remission 1-year after gastric bypass. **Mor A**, Omotosho P, Torquati A. Presented at IFSO 2014. XIX world congress of International Federation for the Surgery of Obesity and Metabolic Disorders; 2014 Aug 26-30; Montreal, Canada.
4. Changes of Circulating Irisin and High Sensitivity C-Reactive Protein levels in Morbidly Obese Individuals with Type 2 Diabetes after Roux-en-Y Gastric Bypass. **Mor A**, Omotosho P, Torquati A. Presented at Obesity Week 2014. 31st Annual Meeting of the American Society of Bariatric and Metabolic Surgery; 2014 Nov 2-7; Boston, USA.

POSTER presentati a meeting

1. Shantavasinkul P, Mor A, Corsino L, Torquati A. Circulating Branched-Chain Amino Acids and Irisin Level in Morbid Obese Individual with Type 2 Diabetes (T2DM) after Roux-en-y Gastric Bypass (RYGB). Poster session presented at ADA 2014. 74th world congress of American Diabetes Association; 2014 June 13-17; San Francisco, USA.
2. Mor A, Omotosho P, Torquati A. Gastric Bypass significantly improves Quality of Life in Diabetic Obese subjects compared to usual medical care and Diabetes Support and Education. Poster session presented at IFSO 2014. XIX world congress of International Federation for the Surgery of Obesity and Metabolic Disorders; 2014 Aug 26-30; Montreal, Canada.

ESPERIENZE PROFESSIONALI

Observership in Medicina e Chirurgia Generale St Luke's Hospital Woliso, Addis Abeba, Etiopia	08/2010-09/2010
Observership in Medicina d'urgenza Mount Sinai Hospital Mount Sinai Medical Centre New York, USA	10/2008-11/2008
Observership in Chirurgia Generale New York Presbyterian Hospital Weill Cornell Medical College New York, USA	09/2008-10/2008

ALTRO

Capacità linguistiche	Italiano (madrelingua) Inglese (eccellente)
Capacità nell'uso delle tecnologie	MS Office Package, Mac OS, Windows
Affiliazione a società scientifiche	SIMEU - Società Italiana Medicina di Emergenza-Urgenza

Senigallia (AN).

Alessandro Mor